



# Acouststop Door Installation & Care Guide

## 1. Product Snapshot



Drop & Perimeter Seals enhancing sound leakage.



Matching Wooden & Aluminum Frames.



Comes Pre-Hung and Assembled.



Adjustable Soundproof Jambs & Seals.



Shade/Paint matching Décor.



Tested in accordance with ASTM/Industry Standards - Neutral Labs.



Impact & Moisture Resistant.

---

## 2. Storage & Handling (Stacking Method)



### Choose a Flat, Dry Surface

Store on level surface in dry, ventilated area.



### Stack Horizontally with Spacers

Use 3-4 wooden spacers between doors at ends and middle.



### Keep in Original Packaging

Leave protective wrapping on until installation.



### Store Indoors at Proper Temperature & Humidity

Maintain 40-60% humidity and consistent temperature.



### Avoid Leaning the Doors

Store flat; never lean upright for extended periods.

---

## 3. Installation System

Install using 8 Fischer screws, SS 304 ball bearing hinges (120 Kg capacity), lock strike plate, and shock absorbers.

### Recommended Places To Install:

Indoor

Yes

Outdoor

No

## 4. Regular Maintenance

### Regular Cleaning

Use a soft, damp cloth with mild detergent. Avoid abrasive cleaners that may damage the door's acoustic surface or seals.

### Hinge Alignment & Moving Parts

Check door closes flush without gaps. Lubricate with dry lubricant or graphite powder every 6 months. Tighten loose screws on handles and lock plates regularly.

### Check Closing Speed

Adjust closing speed to ensure full shut without slamming.

### Seal Inspection

Check seals for cracks, tears, or compression. Replace damaged seals immediately. Verify drop seals activate when door closes. Realign or replace detached gaskets.

---

## 6. Help & Support

### India

[contactindia@hillpointglobal.com](mailto:contactindia@hillpointglobal.com)

### Dubai

[contactdubai@hillpointglobal.com](mailto:contactdubai@hillpointglobal.com)

### Qatar

[contactqatar@hillpointglobal.com](mailto:contactqatar@hillpointglobal.com)

### Saudi Arabia

[contactsaudi@hillpointglobal.com](mailto:contactsaudi@hillpointglobal.com)