



# Acousstop Sof Niche Installation & Care Guide

## 1-Product Snapshot



Polyester fiber panels with smaller grooves for noise control.



Reduces echo and reverberation; improves speech intelligibility.



Moisture resistant, stain & water repellent fabric with acoustical core.



Fire rated Class B; absorbs 85% of sound.



Cleanable and easy to maintain.



Best acoustical performance.

---

## 2. Storage & Handling



### Before You Start

- Stack on clean, dry, flat surface to prevent deformation.
- Use moisture barrier or plastic sheets for protection.
- Store in temperature-controlled environment.



### Avoid Compression

- Don't stack too high (Max 800mm from floor).
- Excessive weight affects acoustic performance.
- No leaning or bending.

---

## 3. Installation

Panels can be installed on walls or ceilings. Ensure the surface is clean, level, and dry before mounting.



### Option A – H and J Profile (Wall)

1. Mark level lines on the wall.
2. Fix H or J profiles to the wall.
3. Engage each panel onto the profile.
4. Keep panel gaps consistent.



### Option B – Z, H and J Profile (Ceiling)

1. Mark your layout on the ceiling.
2. Fix Z, H or J profiles to ceiling structure.
3. Secure panels onto the profiles.
4. Ensure proper spacing and alignment.

**Note:** Mounting methods depend on surface type (wall or ceiling) and project specifications. Follow site instructions for profile selection and spacing.

## 4. Care & Cleaning

### Regular Maintenance

Use soft brush vacuum attachment or lint roller weekly. Dust regularly to maintain performance.

### Spot Cleaning

Blot (don't rub) spills with damp cloth. Use mild soap and water for stains.

### What NOT to use

Avoid abrasive cleaners, harsh chemicals, cigarette smoke, or heavy moisture exposure.

### Environment

Use air purifiers and maintain good HVAC filters. Avoid bumping or placing heavy items against panels.

## 5. Do's & Don'ts (Quick Reference)



### Do

- Dust panels weekly with soft brush or vacuum.
- Blot spills immediately with damp cloth.
- Use air purifiers and maintain HVAC filters.
- Schedule professional cleaning for large spaces.



### Don't

- Rub or use abrasive cleaners on panels.
- Expose to smoke, heavy moisture, or spills.
- Bump or place heavy items against panels.
- Ignore dust buildup (reduces performance).

## 6. Help & Support

### India

[contactindia@hillpointglobal.com](mailto:contactindia@hillpointglobal.com)

### Dubai

[contactdubai@hillpointglobal.com](mailto:contactdubai@hillpointglobal.com)

### Qatar

[contactqatar@hillpointglobal.com](mailto:contactqatar@hillpointglobal.com)

### Saudi Arabia

[contactsaudi@hillpointglobal.com](mailto:contactsaudi@hillpointglobal.com)