



# Acousstop Spume Installation & Care Guide

## 1-Product Snapshot



Open cell polyurethane foam with 3D grid structure system.



Blocks sound waves; high acoustical performance and sound absorption.



Lightweight and fiber-free material.



Flame retardant with wide color range options.



Direct mounting with synthetic rubber adhesive.



Suitable for wall and ceiling installation.

---

## 2. Storage & Handling



### Before You Start

- Stack panels flat (horizontal) only on rigid, level pallet or platform.
- Ensure full support across entire panel area with edges aligned.
- Use protective interlayers between panels.



### Avoid Compression

- Stack maximum: 20-25 panels (15-20 for thicker/larger panels).
- Indoor storage only: 15-30°C, humidity below 65%.
- No leaning, bending, rolling, or stacking on uneven surfaces.

---

## 3. Installation

Panels can be installed on walls or ceilings using synthetic rubber adhesive. Ensure the surface is clean, level, and dry before mounting.



### Direct Mounting with Adhesive

1. Mark your layout on the wall or ceiling.
2. Apply synthetic rubber adhesive to panel back.
3. Press panel firmly into place for full adhesion.
4. Ensure proper ventilation during installation.

**Note:** Mounting methods depend on the product profile and project instructions. Follow site specifications for fixing hardware and spacing.

## 4. Care & Cleaning

### Regular Maintenance

Dust or vacuum regularly with soft brush or microfiber cloth.

### Spot Cleaning

Blot gently with damp cloth. Use mild soap for stubborn stains.

### What NOT to use

Avoid harsh chemicals, water, abrasive pads, or high-pressure cleaning.

### Environment

Keep dry and ventilated. Inspect fixings periodically.

## 5. Do's & Don'ts (Quick Reference)



### Do

- Dust or vacuum regularly.
- Use only soft brushes or microfiber cloths.
- Keep panels dry and ventilated.
- Inspect fixings periodically.



### Don't

- Use harsh chemicals or water.
- Apply abrasive cleaners or high pressure.
- Expose to excessive moisture.
- Ignore dust buildup (reduces performance).

## 6. Help & Support

### India

[contactindia@hillpointglobal.com](mailto:contactindia@hillpointglobal.com)

### Dubai

[contactdubai@hillpointglobal.com](mailto:contactdubai@hillpointglobal.com)

### Qatar

[contactqatar@hillpointglobal.com](mailto:contactqatar@hillpointglobal.com)

### Saudi Arabia

[contactsaudi@hillpointglobal.com](mailto:contactsaudi@hillpointglobal.com)